

**Government of Maharashtra**

SEAC-2008/CR.-33/TC-3  
Environment department  
Room No. 217, 2<sup>nd</sup> floor,  
Mantralaya Annexe,  
Mumbai- 400 032.  
Dated: 30<sup>th</sup> September, 2014

To,  
M/s Rizvi Estates & Hotels Pvt. Ltd.  
Rizvi House, 1st Floor, Hill Road,  
Bandra (W), Mumbai-400050

**Subject: Environment Clearance for proposed slum rehabilitation Scheme on plot bearing CTS No.76--75(pt) of village Kurar, Malad (East), Mumbai by M/s Rizvi Estates & Hotels Pvt. Ltd**

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 27<sup>th</sup> meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 72<sup>nd</sup> meeting.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed slum rehabilitation Scheme on plot bearing CTS No.76--75(pt) of village Kurar, Malad (East), Mumbai. SEAC-II considered the project under screening category 8(b) B1 as per EIA Notification 2006.

**Brief Information of the project submitted by Project Proponent is as-**

Name of Project	Proposed Expansion of Residential Project with SRA Scheme at Village Kurar, Malad. (Obtained Prior Environmental Clearance vide letter No. SEAC-2008/CR.-33/TC-3 dt. 03.08. 2009)
Project Proponent	M/s Rizvi Estates & Hotels Pvt. Ltd.
Consultant	Mahabal Enviro Engg. Pvt. Ltd.
Type of project.	Expansion of Residential Project with SRA Scheme
Location of the project	CTS No. 76, 76/1, 78(Pt), 78/1-38, 79, 79/1, 80, 80/1-10, 81, 81/1, 81/1-5, 82, 82/1-7, 83, 83/1-2, 84, 84/1, 89, 89/1-5, 90, 90/1- 4, 91, 91/1, 92, 92/1-4, 93, 93/1-3, 94, 94/1- 12, 95, 95A, 95B, 95/1- 22, 99, 99/1-5, 101, 101/1- 2, 102, 102/1 , 291A, 11C/1 (pt), 13(pt), 73, 74, 75, 88, 88/1 & 2, 96, 97, 97/1 -5 of village Kurar, Malad (E), Mumbai.

Whether in corporation / Municipal / Other area	Municipal Corporation of Greater Mumbai											
Applicability of the DCR	33(10) DCR 1991											
Note on the initiated work (if applicable)	Total constructed work (FSI + Non FSI):	41,438.3 m2 (FSI: 20,244.53 m2 and NON FSI: 17,464.57 m2) as per the Prior Environmental Clearance vide letter No. SEAC-2008/CR.-33/TC-3 dt. 03.08. 2009)										
	Date and area details in the necessary approvals issued by the competent authority (attach scan copy)	<table border="1"> <thead> <tr> <th>Bldg. No.</th> <th>CC date</th> </tr> </thead> <tbody> <tr> <td>Rehab3</td> <td>13/07/11</td> </tr> <tr> <td>Rehab 4</td> <td>20/06/09</td> </tr> <tr> <td>Rehab 5</td> <td>16/10/09</td> </tr> <tr> <td>Sale</td> <td>18/3/13</td> </tr> </tbody> </table>		Bldg. No.	CC date	Rehab3	13/07/11	Rehab 4	20/06/09	Rehab 5	16/10/09	Sale
Bldg. No.	CC date											
Rehab3	13/07/11											
Rehab 4	20/06/09											
Rehab 5	16/10/09											
Sale	18/3/13											
LOI / NOC from MHADA / Other approvals (if applicable)	LOI from SRA/ENG/728/PN/STGL & PL/LOI dated 31.01.2013											
Total Plot Area	83,595.70 m2											
Deductions	8,368.96 m2											
Net plot area	75,226.74 m2											
Permissible FSI (Including TDR, Fungible areas etc.)	2,64,187.93 m2											
Proposed Built-up Area (FSI & Non-FSI)	As per Earlier EC: Total Plot area: 16426.70 m2 and total built up area: 49280.10 m2.											
	Proposed Built-up Area are given below											
	Buildings	FSI Area (m2)	Non – FSI Area (m2)	Construction Area (m2)								
	Sale Building	1,62,695.66	1,33,146.15	2,95,841.81								
Rehab Building	1,01,409.75	53,626.95	1,55,036.70									
Total	2,64,105.41	1,86,773.1	4,50,878.51									
Ground coverage percentage (Note: Percentage of plot not open to sky)	41 %											
Estimated cost of the project	Rs. 1046 Crore											

	Building	Building Configuration	No. of Building
No. of Buildings & its configuration	Rehab Building		
	A-1 to A-7	Ground + 7	7
	A-8 to A-12	Ground + 22	5
	Sale Building		
	S-1	2B + 2P + G + 19	1
	S-2	2B + 1P + G + 21	1
	S-3 & S-9	4P + G + 31	2
	S-4 & S-8	4P + G + 38	2
	S-5 & S-7	4P + G + 44	2
	S-6	4P + G + 51	1
	Villa	G + 1	7
	Total		28
	Number of tenants and shops	Sale: 1624 Nos., 14 Villas, club house Rehab: Residential Flat: 1429 Nos, Residential/Commercial : 4 nos., Commercial: 10 nos, PAP: 1919 nos., Amenities: 102 nos.	
Number of expected residents / users	25450 Nos.		
Tenant density per hector	613/ha		
Height of the building(s)	Max Rehab ht. 69.90 m, Max Sale ht. 169.20 m		
Right of way (width of the road from the nearest fire station to the proposed building)	Proposed project is accessible by 18.30 m wide D.P roads from North side and East side and 13.40 m wide road passes through the plot.		
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	Minimum turning radius is 9 m		
Existing Structure	Slums		
Details of the demolition with disposal (if applicable)	Demolition of Existing Slums		

Total Water requirement	Dry Season	
	Fresh water (CMD)	2258
	Source	MCGM
	Recycled Water (CMD)	1138
	Total water requirement (CMD)	3402
	Swimming pool make up (cum)	11
	Fire fighting (cum)	As per NBC.
	Wet Season	
	Fresh water (CMD)	1906
	Source	MCGM
	Recycled Water (CMD)	1138
	Total water requirement (CMD)	3402
	Swimming pool make up (cum)	11
	Fire fighting (cum)	As per NBC
Rain Water Harvesting (RWH)	Level of ground water table	3 m
	Size and No. of RWH tanks and quantity	RWH tanks with total 700 m <sup>3</sup> capacity
	Location of RWH tank	On ground/Basement
	Size and no. of recharge pits and quantity	NA
	Budgetary allocation	Capital Cost: 60 Lakh O & M Cost: 6 Lakh/yr.
UG Tanks	Location of UG tank	
Storm Water Drainage	Natural water drainage pattern	Towards South side
	Quantity of storm water	8086.43 m <sup>3</sup> /hr.
	Size of SWD	0.30x 0.45, 0.45x 0.60, 0.60 x 0.8, 0.8x 1.0 m
Sewage and waste water	Sewage generation (CMD)	3166 KLD
	STP Technology	MBBR
	Capacity of STP (CMD)	Total STP Capacity: 3300 KLD
	Location of the STP	Located in Basement/ ground

	DG sets (during emergency)	Total:3500 kVA
	Budgetary allocation	Capital Cost: 400 Lakh O & M Cost: 70 Lakh/yr

Solid waste management	Waste generation in the pre-construction and construction phase	
	Waste generation	Excavation Quantity: 43894.55 m <sup>3</sup> Construction Debris: 13092 m <sup>3</sup>
	Quantity of the top soil to be preserved	-
	Disposal of the construction way debris	The construction debris will be disposed as per the "Construction and Demolition and Desilting Waste (Management and Disposal) Rules 2006.
	Waste generation in the Operation phase	
	Dry Waste (kg/d)	7545
	Wet Waste (kg/d)	5030
	E – Waste (kg/month)	NA
	Hazardous Waste (kg/month)	NA
	Biomedical Waste (kg/month)	NA
	STP Sludge (dry sludge) (kg/d)	32 m <sup>3</sup> /d
	Mode of Disposal of Waste	
	Dry Waste	Recyclers
	Wet Waste	Mechanical composting
	E-waste	NA
	Hazardous Waste	NA
	Biomedical Waste	NA
	STP sludge (dry sludge)	Used as manure
	Area requirement	
	Location and total area provided for the storage and treatment of the solid waste	On ground
	Budgetary allocation	Capital Cost: 100 Lakh O & M Cost: 40 Lakh/yr

Green Belt Development	Total RG Area	27,055.82 m <sup>2</sup>	
	RG area under green belt		
	RG on ground	24,149.14 m <sup>2</sup>	
	RG on Podium	2,906.68 m <sup>2</sup>	
	Plantation		
	Number and list of trees species to be planted in the ground RG	Trees to be planted: 1202 Nos	
	Budgetary allocation	Capital Cost: 338 Lakh O & M Cost: 33 Lakh/yr	
Energy	Power supply		
	Maximum demand	18.72 MW	
	Connect load	36 MW	
	Source	RELIANCE	
	Energy saving by non-conventional method		
	Energy saving measures	<ul style="list-style-type: none"> <li>• Natural Shading through elevation features to minimize heat gain.</li> <li>• Use of low e-glass to reduce power requirement.</li> <li>• Solar lighting in common areas, garden and road.</li> <li>• Solar hot water for building</li> <li>• Solar street lights</li> <li>• Energy efficient Lightings (Use of LED in common area lighting)</li> <li>• Energy efficient pumps</li> </ul>	
	Detail calculations & % of saving	14.91 %	
	Budgetary allocation	Capital Cost: 250 Lakh O & M Cost: 26 Lakh/yr	
DG set	Number and capacity of the DG sets to be used	Total:3500 kVA	
	Type of fuel used	Diesel ;	
Environment Management Plan Budgetary Allocation	Construction phase (with break-up)		
Component	Capital Cost (Rs. In Lakhs)	O & M Cost (Rs. In Lakhs/year)	Frequency
STP (Tertiary)	400	70	Continuous O & M Environment Monitoring:

			Monthly, STP outlet water quality for pH, BOD, COD, SS and O&G
Solar System and LED Lights in common area	250	26	Weekly
Rainwater harvesting	60	6	During rainy season (cleaning of UG tanks and filtration units before rainy season)
Solid Waste Composting plant	100	40	Continuous O & M Environment Monitoring: Monthly to assess the compost quality
Landscape	338	33	Daily
Environmental Monitoring		5.5	
Total Cost	1148	180.5	

	Quantum and generation of corpus fund and commitment	Not Applicable as facility is operated by us
	Responsibility for further O & M	All facilities will be leased & entire building will be maintained by us
Traffic Management	Nos. of the junction to the main road & design of confluence	
	Parking details	
	Number & area of basement	8922.56 m2 S1 and S2 buildings: 2 Basements
	Number & area of podia	Total Podium Area: 67834.91 m2 S1 Building: 2Podiums, S2 Building: 1Podium, S3 to S9 Building - 4 Podiums
	Total Parking Area	79052.8 m2
	Area per car	30.88 m2
	2-Wheeler	-
	4-Wheeler	2512 Nos.

Sr. No.		As per earlier EC	Amalgamated	For Proposed EC Total
1	Area of the Plot	16426.70	67169.00	83595.70
2	Balance plot Area after deduction of reservation	16426.70	58800.04	75226.74

3	Area of Plot for FSI Computation	16426.70	60512.31	76939.01
4	FSI permissible	3	3-slum & 2-non slum	3-slum & 2-non slum
5	BUA permissible	49280.10	172706.08	221986.18
6	Rehab BUA for FSI	24384.57	77025.18	101409.75
7	Total Non FSI	9794.33	43832.62	53626.95
8	Sale BUA Permissible in situ	24895.53	95680.90	120576.43
9	Additional Fungible Area (35% of SALE BUA) as per DCR Reg. 35(4).	N.A	42201.75	42201.75
10	TOTAL permissible sale including Fungible	24895.53	137882.65	162778.18
11	Total Non FSI	25233.79	107912.36	133146.15
12	TOTAL Proposed SALE BUA on Site)	24895.53	137800.13	162695.66
13	Total BUA for FSI (REHAB + SALE) in situ (6+12)	49280.10	214825.31	264105.41
14	Total NON FSI (REHAB + SALE) in situ (7+11)	35028.12	151744.98	186773.10
15	Total Constructed (BUA + NON FSI) (13+14)	84308.22	366570.29	450878.51
16	Rehab Tenements			
	i Residential	367	1062	1429
	ii Residential/Commercial	4	0	4
	ii Commercial	10	0	10
	iv P&P	446	1473	1919
	v Amenities	27	75	102
	vi Total	854	2610	3464
17	Sale Tenements	248	1390	1638
18	Total Tenements (REHAB + SALE)	1102	4000	5102
19	Population	5436	20014	25450
20	Physical R.G.	1560	22589.14	24149.14
21	Percentage of Physical R.G.	9.50	38.42	32.10

Sr.No.	Details	Earlier Proposal as per EC received	AMENDMENT	AFTER AMENDMENT
22	Solid waste Generation	2068 kg/day	10509 kg/day	12577 Kg/Day
23	Power Requirement	Maximum Demand-3.18 MW	Maximum Demand-15.53 MW	Maximum Demand-18.72 MW
24	Water Requirement (KLD)	566	2830	3396
25	Sewage Generation	446	2670	3116



	(KLD)			
25	STP Capacity m <sup>3</sup>	600	2700	3300
26	Parking Provided (Nos)	366	2146	2512
27	Project Cost	Rs. 30 Crore	Rs. 1016 Crore	Rs. 1046 Crore

Sr. No.	Details	Earlier Proposal as per EC received	Revised Proposal		
			Building	Building Configuration	No. of Buildings
28	No of buildings and its configuration	Building Details 13 Nos of SRA Buildings and 3 Nos of Sale Building SRA Building Configuration : G+7 Sale Building Configuration: S1: G+7 S2: G+7 S3: G+7	Rehab Building		
			A-1 to A-7	Ground + 7	7
			A-8 to A-12	Ground + 22	5
			Sale Building		
			S-1	2B + 2P + G + 19	1
			S-2	2B + 1P + G + 21	1
			S-3 & S-9	4P + G + 31	2
			S-4 & S-8	4P + G + 38	2
			S-5 & S-7	4P + G + 44	2
			S-6	4P + G + 51	1
			Villa	G + 1	7
Total			28		

3. The proposal has been considered by SEIAA in its 72<sup>nd</sup> meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

- (i) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any.

Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.

- (ii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- (iii) PP has to abide by the conditions stipulated by SEAC & SEIAA. This EC issued subject to condition that PP has to register for green building rating.
- (iv) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (v) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vi) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (vii) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (viii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ix) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (x) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material
- (xi) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xii) Arrangement shall be made that waste water and storm water do not get mixed.
- (xiii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (xiv) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.

- (xvi) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvii) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xviii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xix) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xx) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xxi) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxiii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiv) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxv) Ready mixed concrete must be used in building construction.
- (xxvi) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xxvii) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxviii) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.

- (xxix) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxx) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxxii) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxiii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxiii) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxvi) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxvii) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxviii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxxix) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

- (xl) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xli) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xlii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xliii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xlv) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
- (xlvi) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (xlvii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlviii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlix) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (l) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.
- (li) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
- (lii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if

any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

- (liii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
  - (liv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
  - (lv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
  5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
  6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
  7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
  8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
  9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution ) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling ) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010

11. This Environment Clearance is issued for proposed slum rehabilitation Scheme on plot bearing CTS No.76--75(pt) of village Kurar, Malad (East), Mumbai by M/s Rizvi Estates & Hotels Pvt.Ltd

  
(Medha Gadgil)  
Additional Chief Secretary,  
Environment department &  
MS, SEIAA

Copy to:

1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
2. Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021
3. Additional Secretary, MOEF, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Mumbai.
7. Collector, Mumbai
8. Commissioner, Municipal Corporation Greater Mumbai (MCGM)
9. CEO, Slum Rehabilitation Authority, Bandra (E), Mumbai
10. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
11. Select file (TC-3)

CEC uploaded on 9/10/2019